

L Number	Hits	Search Text	DB	Time stamp
-	139019	camera or CCD	USPAT	2004/07/26 09:33
-	347395	failsafe or fail-safe or fail adj1 safe or protection or safeguard	USPAT	2004/07/26 09:53
-	719018	failsafe or fail-safe or fail adj1 safe or protection or safeguard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:33
-	543280	camera or CCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:33
-	169692	sun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:33
-	27	(failsafe or fail-safe or fail adj1 safe or protection or safeguard) with (camera or CCD) with sun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:33
-	423	(camera or CCD) same camera with sun	USPAT	2004/07/26 09:43
-	25	((camera or CCD) same camera with sun) same vehicle	USPAT	2004/07/26 09:50
-	86744	sun or blooming	USPAT	2004/07/26 09:51
-	44	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) same (sun or blooming)	USPAT	2004/07/26 09:52
-	840991	failsafe or fail-safe or fail adj1 safe or protect\$4 or safeguard	USPAT	2004/07/26 10:28
-	81	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protect\$4 or safeguard) same (sun or blooming)	USPAT	2004/07/26 09:54
-	5	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protect\$4 or safeguard) same (sun or blooming) same vehicle	USPAT	2004/07/26 09:54
-	18345	failsafe or fail-safe or fail adj1 safe	USPAT	2004/07/26 10:28
-	25	(failsafe or fail-safe or fail adj1 safe) with (camera or CCD)	USPAT	2004/07/26 10:37
-	1843	interrupt with resume	USPAT	2004/07/26 10:44
-	15	(camera or CCD) same (interrupt with resume)	USPAT	2004/07/26 10:37
-	2605	interrupt with resume	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 10:44
-	22	(camera or CCD) same (interrupt with resume)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:03
-	26381	headlight or head adj1 light or highbeam or high adj1 beam	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:03
-	13343	headlight or head adj1 light or highbeam or high adj1 beam	USPAT	2004/07/26 11:07
-	3	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) same (headlight or head adj1 light or highbeam or high adj1 beam)	USPAT	2004/07/26 11:04
-	44893	headlight or head adj1 light or highbeam or high adj1 beam or high adj intensity	USPAT	2004/07/26 11:08
-	170634	headlight or head adj1 light or highbeam or high adj1 beam or high adj intensity or bright\$4	USPAT	2004/07/26 11:08

-	56	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) same (headlight or head adj1 light or highbeam or high adj1 beam or high adj intensity or bright\$4)	USPAT	2004/07/26 11:32
-	535989	halo or disc	USPAT	2004/07/26 11:32
-	53	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) same (halo or disc)	USPAT	2004/07/26 11:40
-	1	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) same halo	USPAT	2004/07/26 11:40
-	34942	shutter adj speed or luminance	USPAT	2004/07/26 12:17
-	11	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) same (shutter adj speed or luminance)	USPAT	2004/07/26 11:41
-	1260	shutter adj speed and luminance	USPAT	2004/07/26 12:17
-	25	(camera or CCD) same (failsafe or fail-safe or fail adj1 safe or protection or safeguard) and (shutter adj speed and luminance)	USPAT	2004/07/26 12:27
-	281	(348/148).CCLS.	USPAT	2004/07/26 12:27
-	48	((348/148).CCLS.) and (failsafe or fail-safe or fail adj1 safe or protection or safeguard)	USPAT	2004/07/26 12:27

L Number	Hits	Search Text	DB	Time stamp
-	178	(382/104).CCLS.	USPAT	2004/07/23 15:24
-	0	("vehiclewithfrontwithmonitor\$4").PN.	USPAT	2004/07/23 15:22
-	670	vehicle with front with monitor\$4	USPAT	2004/07/23 15:22
-	18	(vehicle with front with monitor\$4) and	USPAT	2004/07/23 15:22
-		(fail-safe or fail adj1 safe)		
-	31	((382/104).CCLS.) and luminance	USPAT	2004/07/23 15:25
-	1	"3069654".PN.	USPAT	2004/07/23 15:48
-	1	"5987152".PN.	USPAT	2004/07/23 15:54
-	1	6310546.URPN.	USPAT	2004/07/23 15:55
-	7	((("5410346") or ("6091833") or ("6587573")	USPAT	2004/07/27 13:50
-		or ("5955941") or ("4833469") or		
-		("6282478") or ("6549124")).PN.		
-	13	(luminance or bright\$4) with (normalize or	USPAT	2004/07/27 11:21
-		divide or ratio) with "shutter speed"		
-	905	luminance adj distribution	USPAT	2004/07/27 11:22
-	905	"luminance distribution" or	USPAT	2004/07/27 11:23
-		luminance-distribution		
-	905	"luminance distribution" or	USPAT	2004/07/27 11:23
-		luminance-distribution and luminance adj		
-		addition		
-	2	("luminance distribution" or	USPAT	2004/07/27 11:24
-		luminance-distribution) and luminance adj		
-		addition		
-	0	("Detectionwithrunningwithlane").PN.	USPAT	2004/07/27 13:19
-	51	Detection with running with lane	USPAT	2004/07/27 14:49
-	1	6-213660	USPAT	2004/07/27 13:19
-	1	"4673937".PN.	USPAT	2004/07/27 13:25
-	0	("1-242916").PN.	JPO	2004/07/27 13:51
-	2	1-242916	USPAT	2004/07/27 14:46
-	453882	(road adj marking or road adj line or	USPAT	2004/07/27 14:46
-		lane) detection		
-	1276	(road adj marking or road adj line or	USPAT	2004/07/27 14:46
-		lane) with detection		
-	4	(road adj marking or road adj line or	USPAT	2004/07/27 14:47
-		lane) with detection same luminance		
-	3	Detection with running with lane and	USPAT	2004/07/27 14:49
-		luminance		